

## EAST Search History

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
S1	902	compressed adj2 header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 12:42
S2	3635	compress\$3 near2 header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:17
S3	1	S2 and (ref\$transmission adj2 ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:11
S4	4	S2 and (ref\$transmission adj2 rat\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:17
S5	4	S2 and (ref\$transmission adj2 (rat\$2 or proportion or percentage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:22
S6	9	S2 and (ref\$transmission near2 (rat\$2 or proportion or percentage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:24

## EAST Search History

S7	37	S2 and (ref\$transmission near2 (rat\$2 or proportion or percentage or number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:00
S8	7	average near3 packet near3 (ref\$transmission near2 (rat\$2 or proportion or percentage or number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 11:03
S9	1308	((schedul\$3 or choos\$3 or decid\$3 or determ\$5) with ((transmi\$7 or send\$3) near3 (time or period))) same (load\$3 or overload\$3) or (ref\$transmission near2 (rat\$2 or proportion or percentage or number) same (full near2 packet) or (((uncompressed or noncompressed) adj2 header) near5 packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 12:42
S10	4792	(\$2compressed or full) adj2 (header or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 12:45
S11	4794	(\$3compressed or full) adj2 (header or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 12:48
S12	1971	S11 and ((transmi\$7 or send\$3) near3 (period or time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:05
S13	1498	S12 and (@ad <="20020828" or @rhd <="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:56

## EAST Search History

S14	1875	S12 and (decid\$3 or determin\$3 or schedul\$3 or choos\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:10
S15	46	S14 and (operating near3 state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:11
S16	33	S14 and (re\$transmission adj2 rat\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 16:12
S17	166258	determin\$4 with (((operating near2 state) or congest\$4or load\$3 or unload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 10:26
S18	773	S17 and (((compress\$3 or full) near3 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:43
S19	579	S18 and (@ad<="20020828" or @rhad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:56
S20	269	S19 and ("370".clas. or "370".cxf.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:43

## EAST Search History

S21	978	S17 and (((compress\$3 or full) near3 (packet or header)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:43
S22	359	S21 and ("370".clas. or "370".cxf.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 10:31
S23	291	S22 and (@ad<="20020828" or @riad<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 13:44
S26	25	retransmission adj2 ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 17:34
S27	15	(izawa and kenji).in. and nec.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 07:52
S28	2	"5701302".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 07:52
S29	166421	determin\$4 with (((operating near2 state) or congest\$4or load\$3 or unload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:43

## EAST Search History

S30	773	S29 and (((compress\$3 or full) near3 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:15
S31	25	retransmission adj2 ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 10:30
S32	1	S29 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 10:26
S33	1	S29 and retransmission adj2 ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 10:31
S34	1691	S29 and retransmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:38
S35	646	S34 and ("370".clas. or "370".cxf.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:45
S36	505	S35 and (@ad <="20020828" or @rlad <="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:14

## EAST Search History

S37	278	S36 and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:14
S38	2317	determin\$4 with ((operating near2 state) or congest\$4or load\$3 or unload\$3) and (re\$transmission or (repeat\$3 near3 transmission))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:13
S39	744	S38 and ("370".clas. or "370".cxr.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:39
S41	606	S39 and (@ad <="20020828" or @riad <="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:40
S42	302	S41 and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:26
S43	44	S42 and (((compress\$3 or full) near3 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:17
S44	4	S42 and (compress\$3 near3 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:57

## EAST Search History

S45	67	S29 and (retransmission same threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:39
S46	43	S45 and ("370".clas. or "370".crr.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 13:39
S47	33	S46 and (@ad<="20020828" or @had<="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:45
S48	10	S47 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 14:47
S49	0	"09595256".ad.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 14:49
S53	0	"09595256".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 14:49
S54	2	"595256".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 14:49

## EAST Search History

S55	4	"598256".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:35
S56	2	"5850526".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:36
S57	2	"4803685".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:36
S58	4738	determin\$4 with ((operating near2 state) or congest\$4or load\$3 or unload\$3) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:43
S59	885	S58 and ("370".clas. or "370".cxt.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:45
S60	650	S59 and (@ad <="20020828" or @riad <="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 16:46
S61	12	S60 and (compress\$3 near3 (header or packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 07:19



## EAST Search History

S63	21	retransmission same moving adj2 average	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:43
S65	192	period same ((full or \$compressed) adj2 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 15:55
S66	127	S65 and (@ad <="20020828" or @riad <="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:56
S67	518	(re\$transmission adj2 rat\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 16:12
S68	343	S67 and (@ad <="20020828" or @riad <="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 16:13
S69	0	f\$max\$period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:13
S70	31	ftc2507	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:14

## EAST Search History

S71	7	S70 and retransmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:17
S72	4	S70 and congest\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:50
S73	2	"5293379".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:51
S74	2	"5446736".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:54
S75	2	"5579316".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:55
S76	2	"5627829".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:56
S77	86	compressed adj2 packet same period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 09:56

## EAST Search History

S78	59	S77 and (@ad <="20020828" or @rhad <="20020828")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:00
S82	16	determin\$5 same period same (compressed adj2 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:09
S83	32	(determin\$5 or set\$4) same period same (compressed adj2 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:15
S84	4	establish\$3 same period same (compressed adj2 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 11:16
S85	2	"5761438".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/13 12:18